

Discover the difference,

Downee®

Discover the  
Semi Frameless Glass Fence System

# Discover the clear and elegant Semi Frameless Glass Fence System

A clear and elegant Semi Frameless Glass Fence System is now available from Downee, producing visually appealing and unobstructed views of surrounding landscape and pool areas.

Stylish round aluminium posts support pre cut 8mm toughened glass panels, incorporating a pre-drilled matching glass gate if required. Overall fence height is 1260mm, incorporating 1200mm high glass panels. Posts can be powder coated in any colour to match surrounding decor.

The glass fence system is ideal for residential homes, apartments and commercial properties, wherever there is a need to enhance the surrounds and add value to the property.

Posts are supplied in 50mm diameter, round aluminium extrusions, and are available in the following lengths:

- 1260mm Flange Mount (Bolt down application)
- 1500mm long or 1800mm long (Core drilled application)

Post types are available in a range of configurations to accommodate straight runs, 90 degree corners, 135 degree angles and half post configurations for wall fixing applications.

Toughened 8mm pre-cut glass panels are available in a range of sizes from 816mm wide through to 1416mm wide in 100mm increments. All panels including gate are 1200mm high.

The Downee Glass Pool Fence System complies with the following Australian Standards:

- AS2820-1993 – Gate units for Private Swimming Pools
- AS1926.1-2007 – Swimming Pool Safety – Safety Barriers for Swimming Pools

Note:

Compliance to the above Australian Standards are subject to a fully compliant installation (including the use of suitable fasteners)

Local council by-laws may also apply in some areas. Local authorities should be contacted prior to installation.

**For more information visit our website [www.downee.com.au](http://www.downee.com.au)**

*\* When installing fence posts into timber ensure adequate long term structural support is provided. Over time, timber may compress under flange mounted applications, which can lead to loosening of posts. Ensure all fixings are secured into structural or load bearing locations to minimise the effects of compression or excessive movement.*



## Posts (available in Flange and Core Drilled)



One way



Two way



Half post



Corner

## Accessories



Infill



RTC channel



Plastic caps



Cover



RTC post cover



Glass gate kit



Glazing rubber



Gate striker



Flange cover



Rubber seat

## Aluminium Post

GFP-PF1260/C-1200	1260mm Flange Post Corner
GFP-PF1260/2-1200	1260mm Flange Post 2 Way
GFP-PF1260/1-1200	1260mm Flange Post 1 Way
GFP-P1260/.5-1200	1260mm 1/2 Post
GFP-PF1260/135D-1200	1200mm 135 Degree Post
*GFP-PF1300/1-1200	1300mm Flange Post 1 Way
*GFP-PF1300/2-1200	1300mm Flange Post 2 Way
*GFP-PF1300/C-1200	1300mm Flange Post Corner
*GFP-PF1300/135D-1200	1300mm 135 Degree Post
GFP-P1500.5/1200	1500mm 1/2 Post Only
GFP-PC1500/1-1200	1500mm 1 Way Core Drill Post
GFP-PC1500/2-1200	1500mm 2 Way Core Drill Post
GFP-PC1500/C-1200	1500mm Corner Core Drill Post
GFP-PC1500/135D-1200	1500mm 135 Degree Post
GFP-P2100/1WO-1200	2100mm 1 Way Post without infill
GFP-P2100/2WO-1200	2100mm 2 Way Post without infill
GFP-P2100/CWO-1200	2100mm Corner without infill
GFP-PC1800/1-1200	1800mm 1 Way Core Drill Post
GFP-PC1800/2-1200	1800mm 2 Way Core Drill Post
GFP-PC1800/3-1200	1800mm 3 Way Core Drill Post
GFP-PC1800/C-1200	1800mm Corner Core Drill Post
GFP-1800/135D-1200	1800mm 135 Degree
GFP-RTC1205	RTC 1205mm Channel
GFP-RTC1800	RTC 1800mm Channel
GFP-RTC4200	RTC4200mm Full length

\*Non stock item. Lead times apply.

## Glass 8mm

GFP-G1416X1200	Glass 1416mm x 1200
GFP-G1316X1200	Glass 1316mm x 1200
GFP-G1216X1200	Glass 1216mm x 1200
GFP-G1116X1200	Glass 1116mm x 1200
GFP-G1016X1200	Glass 1016mm x 1200
GFP-G916X1200	Glass 916mm x 1200
GFP-G816X1200	Glass 816mm x 1200
GFP-GG796X1200	Glass Gate Panel 796mm x 1200

## Accessories

GFP-CAPL-B	Black Plastic Caps
GFP-CAPL-S	Silver Plastic Caps
GFP-GRUBBER	Glazing Rubber
GFP-GSR	Rubber Seats
GFP-CORING	Cover Ring
GFP-FRING	Flange Ring
GFP-FCOVER	Flange Cover
GFP-CORINGRTC	Cover Ring for Post & RTC
GFP-INFILL.15	Infill 150mm
GFP-INFILL1.2	Infill 1200mm
GFP-INFILL5.5	Solid Infill 5500mm
TCA1	Tru-Close Self Closing Hinge
MLSPS2GHK	Magna Latch Side Pull Glass Kit
TCACAP	Tru-Close Self Closing CAP
GKS	Glass Gate Kit
GKS2	Glass Gate Kit to suit TCA1/MLSPS2GHK
GFP-GMLS	Magna Latch Gate Striker
MLSPS2	Magna Latch Side Pull

# Downee®

PO Box 605, Sunshine VIC 3020 6-10 Market Road, Sunshine VIC 3020

Phone + 61 3 9364 8288 Fax +61 3 9311 2030 [downee.com.au](http://downee.com.au)

VIC/TAS: 03 9364 8288 NSW: 02 9421 1600 QLD: 07 3373 8511 SA/NT: 08 8349 7339 WA: 08 9209 3700

Downee® is a division of RMD Industries® Pty Ltd